

Table of Contents

MENTAL MATHS 3

MENTAL MATHS

- mental maths include how we perform and can perform mental calculations.
- Mental logic
- Mental machines
- Default row - any varg in devanagari [script](#) , cluster क , ख , ग , घ , ण
- Default column - क , च , ट , त , प
- Default numbers
 - every ending zero digit number is a new n .
 - For convenience of writing the sequence many times it is replaced with [an](#) instance value
 - concerning pronunciation of numbers
 - क (१) ,
 - ख (२) ,
 - ग (३) ,
 - घ (४) ,
 - ण (५) ,
 - च (६) ,
 - छ (७) ,
 - ज (८) ,
 - झ (९) ,
 - कज (१०)

||

- Clock of vowels
 - K (1) , ka (2) , ki (3) , [kii](#)(4) , [ku](#)(5) , kuu(6) , [ke](#)(7) , kai(8) , [ko](#)(9) , kau (10) , [kam](#)(11) , kah(12)
- grid of consonants
 - right quadrant
 - left quadrant
 - Origin
 - being vowels
 - imaginary axis being vowels
 - miniature cube at its origin
 - having six sides
 - on paper vertical or front (ई)
 - on paper horizontal or side (आ)
 - Out of paper or roof (ऊ)
 - negative or small back
 - negative or small base
 - Negative or left side

Position of [an object](#) at a point is defined by (ई (y), अ (x))

From:

<http://www.source.mantrakshar.co.in/> - **Kshtrgyn**

Permanent link:

http://www.source.mantrakshar.co.in/doku.php/en/mental_maths?rev=1688109475

Last update: **2023/06/30 07:17**

